

### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

December 04, 2013

### WELL WORK PLUGGING PERMIT

### Plugging

This permit, API Well Number: 47-6101663, issued to EASTERN ASSOCIATED COAL/PEABODY COAL CO., is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

Chief

Operator's Well No: F2-59

Farm Name: MCCOY, GEORGE

API Well Number: 47-6101663

Permit Type: Plugging
Date Issued: 12/04/2013

Promoting a healthy environment.

### **PERMIT CONDITIONS**

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

### **CONDITIONS**

- 1. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.

FORM WW-4(B) Observe File Copy (Rev. 2/01)

Work order approved by inspector

1)Date		00	ctober	25,	2013	
2) Operator'	's- ?					
Well No.	-EAC	LLC	# F2-	59		
3) API Well	No.	47	- 0	61	_	

## STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

#### APPLICATION FOR A PERMIT TO PLUG AND ABANDON

4) Well Type: Oil X / Gas / Liquid injection / Waste disposal / (If "Gas, Production or Underground storage ) Deep / Shallow /
5) Location: Elevation 1,275' Watershed Days Run District Clay 03 County Monongalia 6\Quadrangle Blacksville 25
6) Well Operator Eastern Associated Coal LLC 7) Designated Agent Matthew L. Bonnell Address Fairview, WV 26570 Address Fairview, WV 26570
8) Oil and Gas Inspector to be notified  Name Sam Ward Address P.O. Box 2327 Buckhannon, WV 26201  9) Plugging Contractor Name Chisler Brothers Address P.O. Box 101 Pentress, WV 26544
10) Work Order: Per our 101-C petition, the work order for the manner of plugging this well Petition is as follows:
1. Cut out well to a total depth, if practical, or to a minimum of 200 feet below
the Pittsburgh Coal Seam.
2. Run well logs and directional surveys.
3. Collars of any old remaining casing will be ripped at the coal seam.
4. A plug made of expanding cement slurry shall be pumped from at least 200 feet
below the base of the coal seam to 100 feet above the coal seam. The expanding
cement shall be place in the well under a pressure of at least 200 psi.
5. After the expanding cement has hardened, it will be tagged, and the well bore
annulus will be filled with porland or lightweight cement mixture, by tubing,
to the surface.
6. A suitable monument installed on the surface with the necessary well
identification plate attached.
Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Date CHV 13/293
Office of Oil and Gas

NOV 1 4 2013

WV Department of Environmental Protection

WW4-A
Revised
2/01

1) Date:	October 25, 2013								
2) Operator's We	ll Number ?								
(current-George	McCoy), EAC F2-59								
3) API Well No.: -	47 - 061 -								

# STATE OF WEST VIRGINIA - BUREAU OF ENVIRONMENT DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

		NOTICE 01	APPLICATIO	N TO PLUG A	IND ABANDON A WELL	
4)	Surface Own (a) Name Address	er(s) to be served: George McCoy 1110 Daybrook R Blacksville, WV		5) (a) Coal O Name Address	Eastern Associated Coal LLC  1044 Miracle Run Road Fairview, WV 26570	W
	(b) Name Address			(b) Coal C Name Address	Eastern Associated Coal LLC 1044 Miracle Run Road	W
	(c) Name Address			Name Address	Fairview, WV 26570	
6)	Inspector Address			(c) Coal L Name Address	essee with Declaration	
	Telephone					
	accompanying Protection, we the Applicat	ng documents for a permit with respect to the well at the	to plug and abandon a ne location described on n mailed by registered	well with the Chief in the attached Applic or certified mail or	ell operator proposes to file or has filed this Notice of the Office of Oil and Gas, West Virginia Division and depicted on the attached Form WW-6. Celelivered by hand to the person(s) named above (ellivered by hand to the person(s) named above (ellivered by hand to the person(s))	on of Environmental opies of this Notice,
			Well Operator By: Its: Address	Eastern Asso Matthe L B Designated A 1044 Miracle	agent	
			Telephone	Fairview, WV (304) 368-998	7 26570	
	bscribed and s	worn before me the	day	of Octo	NOV 142 Sce, 2013 Notary Public V Departr Environmental	nent of
	STATEST	OFFICIAL NOTARY P		100		

OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRGINIA
EDWARD Y. HOY
306 Alta Vista Avenue
Fairmont, West Virginia 26554
My Commission Expires July 7, 2017

## 6101663P

### SURFACE OWNER WAIVER

Operator's Well Number

Current-George McCoy Eastern Assoc. Coal LLC F2-59

### INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Division of Environmental Protection
1356 Hansford Street
Charleston, WV 25301
(304) 558-6342

<u>Time Limits and methods for filing comments.</u> The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources:
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

#### VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the pla objection to a permit being issued on those materials. FOR EXECUTION BY A NATURAL PERSON	anned wor	rk described in these mater	ials, and I have no oil and Gas A CORPORATION,
Lowylf Micoy Date 6/4/13	_ Name	ИОЛ	1 4 2013
Signature	By Its	WV De	ental Production
		Signature	Date

FORM	WW-4	(B)
Rever	se	

API No	47 - 061 -	61016638
11.		

Farm Name George McCoy

Well No. EAC F2-59

## INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Division of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER
location has examined this proposed pluggi	/ owner/ lessee/ of the coal under this welling work order. The undersigned has no objection to the on, provided, the well operator has complied with all a Code and the governing regulations.
Date: October 25, 2013	By:

REGEIVED Office of Oil and Gas

NOV 1 4 2013

WV Department of Environmental Protection FORM WW-9 Rev. 02/01

	Page	1	of	1	
API Number 47		061			
Operator's Well	No		F2-5	9	

### STATE OF WEST VIRGINIA

# DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name	Eastern	Associated C	oal LLC		OP Code	e	
Watershed <u>Days F</u>	Run		Q	uadrangle	Blacksvil	le	
Elevation	1,275'	County	Monongali	a	District	Cla	ay
Description of anticipa	ated Pit W	aste:	Plugging				_
Will a synthetic liner l							
Proposed Disposal Me	thod For ' Land A Underg Reuse Off Site Other	Freated Pit W pplication ground Inject (at API Num e Disposal (S (Explain	Vastes: ion (UIC Peber	rmit Number_ VW-9 for dispo	sal location)		5DW 11/13/13
	_ Drilling	g		Swabbii X Pluggin	ng g <u>(no pit, steel t</u>	ank used	D
PERMIT issued on De Protection. I unders condition of the genera	ecember 3 tand that al permit er penalty dication folloge for obt e are sign	1, 1999, by to the provision and/or other of law that orm and all a aining the in ificant penal	he Office of Cons of the po- applicable law t I have per- attachments formation, I l ties for subm	Dil and Gas of ermit are enformed are enformed are enformed are enformed are enforced are enforc	the West Virgin orceable by law in can lead to end ined and am fa nat, based on mandle information is	nia Division. Violat forcement amiliar w y inquiry s true, acc	tions of any term or taction.  with the information of those individuals curate, and complete.
Company Official (Ty							
Company Official Title	e	Desig	nated Agent			E	RECEIVED
Subscribed and sworn  My commission expire				OCTOBER otary Public		OFFICE NOTA STATE OFFI EDWA 306 Alta Fairmont, We	of Oil and Gas  NOV 1 4 2013  CIAL SAIRTMEN OF  RYPUBLIC PROJECTION  RED Y. HOY  Vista Avenue  est Virginia 26554  Expires July 7, 2017

Property Boundary	Diversion ///	/////	
Road ======	Spring		
Existing Fence —X X X X	WetSpot -		
Planned Fence	Drain Pipe with size in inch	nes —— 🍪 -	<b>→</b>
Stream	Water Way	5	
Open Ditch	Cross Drain	7717777	
Rock SSSS	Artificial Filter Strip	XXXX	
North N	Pit with Cut Walls	فسسية	
Buildings	Pit with Compacted Walls	-	<b>*</b>
Water Wells	Land Application of Pit Was	ste	
Drill Site $\bigoplus$			
Proposed Revegetation Treatment: Acres Disturbe	d <u>2</u> Preveget	ation pH	
Lime Tons/a	cre or to correct to pH	6.5	
Fertilizer (10-20-20 or equivalent)	1,000 lbs/acre (	500 lbs minimum)	
Mulch Hay 150 Bales or 3	_ Tons/acre		ž.
	Seed Mixtures		
Area I Seed Type lbs/acre	s	Area II Seed Type	lbs/acre
Annual Rye Grass 40 pounds	<u> </u>	Call Fescue	30 pounds
		Orchard Grass	15 pounds
	<u>I</u>	Ladine Clover	10 pounds
Attach: Drawing(s) of road, location,pit and proposed area Photocopied section of involved 7.5' topographic sh			RECEIVED
		0	RECEIVED  ffice of Oil and Gas
Plan Approved by:	enoth!	1 1	NOV 1 4 2013
Title 1 d Gas Inspector Field Reviewed? () Yes	Date:	1/13/13 Er	WV Department of avironmental Protection



